

Puncture[®] free ANTI- PUNCTURE SEALANT



Application chart / Tableau Des Doses D'application
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

On Road LCV

LCV OKO is formulated specially for:- AUTOS, SUV's, 4 WD's and
Light Commercial Vans and Trucks under 5 Tonnes

TYRE Size.	RIM	OKO MLS	TYRE Size.	RIM	OKO MLS	TYRE Size.	RIM	OKO MLS
Taille du Pneu	Jante		Taille du Pneu	Jante		Taille du Pneu	Jante	
Tamano del neumatico	Llanta		Tamano del neumatico	Llanta		Tamano del neumatico	Llanta	
Dim. Pneumatico			Dim. Pneumatico			Dim. Pneumatico		
Tamanho do Pneu			Tamanho do Pneu			Tamanho do Pneu		
Particular Guide-line for : Boat trailers, Horse Box trailers, Utility Trailers & Towing caravans			10 Inch Rims			13 Inch Rims		
	6"	200	145/70	10	150	175/60	13	250
	8"	200	145/80	10	150	185/60	13	250
	9"	250	155/60	10	150	195/60	13	250
	10"	250	155/70	10	150	205/60	13	250
	11"	250	165/70	10	150	215/60	13	250
	12"	250	12 Inch Rims			225/60	13	250
	13"	300	5.50-	12	150	235/60	13	250
	14"	300	5.60-	12	150	145/65	13	150
	15"	300	6.00-	12	150	155/65	13	150
			165/60	12	200	165/65	13	200
			145/65	12	150	175/65	13	250
			175/65	12	200	185/65	13	250
Tyres limited to Mobile Homes			145/70	12	150	195/65	13	250
7.00 x 14.5		250	155/70	12	150	145/70	13	175
8.00 x 14.5		250	165/70	12	200	155/70	13	175
9.00 x 14.5		300	175/70	12	200	165/70	13	200
			145/80	12	150	175/70	13	250
Particular Guide-line for : "High Flotation" Tyres Same applies to: "Diagonal Bias Ply" & "radial Ply Tyres"			155/ 80	12	200	185/70	13	250
			165/80	12	200	195/70	13	250
			13 Inch Rims			205/70	13	250
27 x 8.50	14	250	5.20-	13	150	165/75	13	200
29 x 9.50	15	300	5.50-	13	150	175/75	13	250
30 x 9.50	15	300	5.60-	13	150	P185/70	13	250
31 x 10.50	15	350	6.15-	13	200	145/80	13	175
31 x 11.50	15	400	6.40-	13	200	155/80	13	175
32 x 11.5	15	400	6.45-	13	200	165/80	13	200
33.x 12.5	15	450	6.70-	13	200	175/80	13	250
			6.95-	13	250	185/80	13	250
			175/50	13	200	205/80	13	250
			185/50	13	200	14 Inch Rims		
			195/50	13	200	5.20-	14	150
			205/50	13	250	5.60-	14	150
			215/50	13	250	5.90-	14	150
			235/50	13	250	6.45-	14	200
			165/55	13	200	6.95-	14	250
			185/55	13	200	7.35-	14	250
			195/55	13	200	7.75-	14	250
			225/55	13	250	8.25-	14	250
			165/60	13	200	175/50	14	200

Manufactured under license by The OKO Group. e mail: universal@oko.com Web Site: www.oko.com

Puncture[®] free ANTI- PUNCTURE SEALANT



Application chart / Tableau Des Doses D'application
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

On Road LCV

LCV OKO is formulated specially for:- AUTOS, SUV's, 4 WD's and
Light Commercial Vans and Trucks under 5 Tonnes

TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS	TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS	TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS
14 Inch Rims			14.5 Inch Rims			15 Inch Rims		
185/50	14	200	315/70	14	350	325/50	15	450
245/50	14	250	175/75	14	250	155/55	15	200
265/50	14	300	185/75	14	250	175/55	15	250
185/55	14	200	195/75	14	250	185/55	15	250
195/55	14	250	205/75	14	250	195/55	15	250
205/55	14	250	P215/75	14	300	205/55	15	300
P255/55	14	300	225/75	14	300	215/55	15	300
165/60	14	200	145/80	14	150	225/55	15	350
175/60	14	200	155/80	14	200	255/55	15	350
185/60	14	250	165/80	14	200	275/55	15	400
P195/60	14	250	175/80	14	250	345/55	15	450
205/60	14	250	185/80	14	250	185/60	15	250
215/ 60	14	300	195/80	14	250	195/60	15	250
225/60	14	300	205/80	14	250	205/60	15	300
235/60	14	300	15 Inch Rims			215/60	15	300
245/60	14	300	6.00-	15	200	225/60	15	350
265/60	14	350	6.40-	15	200	235/60	15	350
275/60	14	350	7.00-	15	250	P245/60	15	350
155/65	14	200	7.75-	15	250	P255/60	15	350
165/65	14	200	8.00-	15	250	P265/60	15	350
175/65	14	250	8.25-	15	250	P275/60	15	400
185/65	14	250	9.00-	15	300	325/60	15	450
195/65	14	250	10.00-	15	350	145/65	15	200
205/65	14	250	11.00-	15	350	165/65	15	200
215/65	14	300	12.00-	15	400	175/65	15	250
135/70	14	150	195/45	15	250	185/65	15	250
145/70	14	150	175/50	15	200	195/65	15	250
155/70	14	200	185/50	15	200	205/65	15	300
165/70	14	200	195/50	15	250	P215/65	15	300
175/70	14	250	205/50	15	300	225/65	15	350
185/70	14	250	225/50	15	300	235/65	15	350
195/70	14	250	235/50	15	300	245/65	15	350
205/70	14	250	245/50	15	300	P255/65	15	350
P215/70	14	300	255/50	15	350	265/65	15	350
225/70	14	300	265/50	15	350	295/65	15	400
P235/70	14	300	275/50	15	400	135/70	15	200
245/70	14	300	285/50	15	400	145/70	15	200
265/70	14	350	295/50	15	400	155/70	15	250
285/70	14	350	305/50	15	450	165/70	15	200

Manufactured under license by The OKO Group. e mail: universal@oko.com Web Site: www.oko.com

Puncture[®] free ANTI- PUNCTURE SEALANT



Application chart / Tableau Des Doses D'application
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

On Road LCV

LCV OKO is formulated specially for:- AUTOS, SUV's, 4 WD's and
Light Commercial Vans and Trucks under 5 Tonnes

TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS	TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS	TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS
15 Inch Rims			16 Inch Rims			16 Inch Rims		
175/70	15	250	11.00-	16	400	195/65	16	300
P185/70	15	250	14.00-	16	450	205/65	16	300
195/70	15	250	215/35	16	300	215/65	16	300
195/70	15	250	225/35	16	300	225/65	16	350
205/70	15	300	235/35	16	300	235/65	16	350
P215/70	15	300	215/40	16	300	255/65	16	350
P225/70	15	350	225/40	16	300	265/65	16	400
P235/70	15	350	195/45	16	250	275/65	16	400
P245/70	15	350	205/45	16	300	285/65	16	400
P255/70	15	350	225/45	16	300	295/65	16	400
265/70	15	350	245/45	16	350	175/70	16	250
275/70	15	400	265/45	16	400	195/70	16	300
285/70	15	400	195/50	16	250	205/70	16	300
315/70	15	450	205/50	16	300	215/70	16	300
175/75	15	250	215/50	16	300	225/70	16	350
P185/75	15	250	225/50	16	300	235/70	16	350
195/75	15	300	235/50	16	350	245/70	16	350
P205/75	15	300	245/50	16	350	255/70	16	350
P215/75	15	300	P255/50	16	350	265/70	16	400
P225/75	15	350	P265/50	16	400	275/70	16	400
P235/75	15	350	275/50	16	400	285/70	16	400
245/75	15	400	195/55	16	250	175/75	16	250
255/75	15	400	205/55	16	300	185/75	16	250
265/75	15	400	215/55	16	300	195/75	16	300
145/80	15	200	225/55	16	300	205/75	16	300
P155/80	15	250	235/55	16	350	215/75	16	300
165/80	15	250	245/55	16	350	225/75	16	350
185/80	15	250	315/55	16	400	235/75	16	350
195/80	15	300	345/55	16	450	245/75	16	350
205/80	15	300	195/60	16	300	255/75	16	400
215/80	15	300	205/60	16	300	265/75	16	400
205/85	15	300	215/60	16	300	275/75	16	400
16 Inch Rims			225/60	16	350	285/75	16	450
6.50-	16	200	235/60	16	350	295/75	16	450
7.00-	16	250	255/60	16	350	315/75	16	450
7.50-	16	250	275/60	16	400	155/80	16	200
8.35-	16	250	285/60	16	400	175/80	16	250
9.00-	16	300	365/60	16	450	195/80	16	300
10.50-	16	350	185/65	16	250	205/80	16	300

Manufactured under license by The OKO Group. e mail: universal@oko.com Web Site: www.oko.com

Puncture[®] free ANTI- PUNCTURE SEALANT



Application chart / Tableau Des Doses D'application
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

On Road LCV

LCV OKO is formulated specially for:- AUTOS, SUV's, 4 WD's and
Light Commercial Vans and Trucks under 5 Tonnes

TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS	TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS	TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS
16 Inch Rims			17 Inch Rims			17.5 Inch Rims		
215/80	16	300	225/55	17	350	195/60	17.5	250
185/85	16	300	235/55	17	400	205/60	17.5	300
205/85	16	300	255/55	17	400	225/60	17.5	350
215/85	16	300	265/55	17	400	235/60	17.5	400
225/85	16	350	275/55	17	450	195/70	17.5	250
235/85	16	350	345/55	17	500	205/70	17.5	300
245/85	16	350	205/60	17	300	215/70	17.5	350
255/85	16	400	215/60	17	350	235/70	17.5	400
16.5 Inch Rims			225/60	17	350	215/75	17.5	350
8.00-	16.5	250	235/60	17	400	225/75	17.5	350
8.75-	16.5	300	255/60	17	400	235/75	17.5	400
9.50-	16.5	300	275/60	17	450	205/80	17.5	300
10.00-	16.5	350	285/60	17	450	225/80	17.5	350
12.00-	16.5	400	305/60	17	450	225/90	17.5	400
17 Inch Rims			345/60	17	500	7.00-	17.5	250
245/35	17	350	225/65	17	400	8.00-	17.5	300
285/35	17	400	235/65	17	400	18 Inch Rims		
315/35	17	400	245/65	17	400	285/30	18	400
335/35	17	450	255/65	17	400	P335/30	18	450
205/40	17	300	265/65	17	450	215/35	18	350
215/40	17	350	275/65	17	450	225/35	18	400
235/40	17	350	285/65	17	450	245/35	18	400
245/40	17	400	185/70	17	250	255/35	18	400
255/40	17	400	245/70	17	400	265/35	18	450
265/40	17	400	265/70	17	450	275/35	18	450
275/40	17	450	275/70	17	450	285/35	18	450
285/40	17	450	285/70	17	450	295/35	18	450
205/45	17	300	305/70	17	450	225/40	18	400
215/45	17	350	315/70	17	450	235/40	18	400
225/45	17	350	255/75	17	450	245/40	18	400
235/45	17	400	235/80	17	450	255/40	18	400
245/45	17	400	7.00-	17	250	265/40	18	450
255/45	17	400	7.50-	17	250	275/40	18	450
315/45	17	450	8.00-	17	250	285/40	18	450
205/50	17	300	8.25-	17	300	225/45	18	400
215/50	17	350	8.75-	17	300	245/45	18	400
255/50	17	400	9.50-	17	350	255/45	18	450
175/55	17	250	10.00-	17	350	295/45	18	450
215/55	17	350	12.00-	17	400	245/50	18	400

Manufactured under license by The OKO Group. e mail: universal@oko.com Web Site: www.oko.com

Puncture[®] free ANTI- PUNCTURE SEALANT



Application chart / Tableau Des Doses D'application
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

On Road LCV

LCV OKO is formulated specially for:- AUTOS, SUV's, 4 WD's and
Light Commercial Vans and Trucks under 5 Tonnes

TYRE Size. Taille du Pneu Tamaño del neumático Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS	TYRE Size. Taille du Pneu Tamaño del neumático Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS	TYRE Size. Taille du Pneu Tamaño del neumático Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS
18 Inch Rims			20 Inch Rims			365 Rims		
285/50	18	450	275/55	20	450	210/60	365	300
235/55	18	400	285/55	20	450	220/60	365	300
255/55	18	450	275/60	20	450	230/60	365	300
265/55	18	450	265/80	20	450	240/60	365	350
275/55	18	450	275/80	20	500	250/60	365	350
285/55	18	450	335/80	20	500	180/65	365	250
225/60	18	400	22.5 Inch Rims			190/65	365	250
245/60	18	400	305/40	22.5	500	200/65	365	300
265/60	18	450	255/70	22.5	500	210/65	365	300
275/60	18	450	235/80	22.5	500	220/65	365	300
285/60	18	450	255/80	22.5	500	230/65	365	300
235/65	18	400	275/80	22.5	550	390 Rims		
255/65	18	450	315/80	22.5	600	220/45	390	300
275/65	18	450	340 Rims			230/45	390	300
285/65	18	450	170/55	340	200	250/45	390	350
255/70	18	450	180/55	340	200	280/45	390	400
265/70	18	450	190/55	340	250	190/55	390	250
275/80	18	450	200/55	340	250	200/55	390	300
195/85	18	300	170/60	340	200	210/55	390	300
215/85	18	350	180/60	340	250	220/55	390	300
19 Inch Rims			190/60	340	250	230/55	390	350
275/30	19	450	200/60	340	250	240/55	390	350
235/35	19	400	170/65	340	250	250/55	390	350
245/35	19	400	180/65	340	250	260/55	390	350
275/35	19	450	190/65	340	250	270/55	390	400
245/40	19	450	200/65	340	250	190/60	390	300
255/40	19	450	210/65	340	300	200/60	390	300
245/45	19	450	365 Rims			210/60	390	350
285/45	19	450	180/55	365	250	220/60	390	300
255/50	19	450	190/55	365	250	230/60	390	350
20 Inch Rims			200/55	365	300	240/60	390	350
285/30	20	450	210/55	365	300	250/60	390	350
245/35	20	450	220/55	365	350	180/65	390	250
255/35	20	450	240/55	365	350	190/65	390	250
P275/35	20	450	250/55	365	350	200/65	390	300
315/35	20	500	260/55	365	350	210/65	390	300
245/40	20	450	270/55	365	400	220/65	390	300
275/40	20	450	190/60	365	250	230/65	390	350
P295/40	20	450	200/60	365	300	240/65	390	350

Manufactured under license by The OKO Group. e mail: universal@oko.com Web Site: www.oko.com

